

DECLARATION OF PERFORMANCE

According to the Regulation (EU) No.305/2011

No. GAFA001/6

POROMEL U

CE

- 1. Unique identification code of the product-type: **GAFA001**
- Intended use/uses: According to EN 934-3:T2, air entraining/plasticizing admixture for cement based masonry mortar
- 3. Manufacturer: ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia
- 4. Authorised representative:
- 5. System or systems of Assessment and Verification of Constancy of Performance (AVCP): System 2+

6a. Harmonised standard:

EN 934-3:2009+A1:2012

Notified body:

Building Research Institute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd ("Научноизследователски строителен институт – НИСИ" ЕООД, Р. България, София 1618, бул. "Никола Петков" № 86) - notified body for construction products, with identification number NB 2032 in European Commission register performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+.









7. Declared performances:

Essential Characteristics	Performance	tech	Harmonised technical specification	
Chloride ion content	≤ 0,1% by mass			
Alkali content	≤ 2,0% by mass			
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A.1			
Compressive strength	at equal consistence	934-3:2013+A1:2013	2	
	At 28 days: test mix ≥ 70 % of control mix	1:2	201	
Entrained air	<u>T2(1)</u>	3+/	EN 934-3:2009+A1:2012	
	Total air content A1 after standard mixing	:201	+60	
	A ₁ = (17 ± 3) % by volume	4-3	3:20	
	<u>T2(2)</u>		34-0	
	Air content after 1 h standing	EN	6 N	
	≥ A ₁ – 3 % by volume	MKC	Ξ	
	<u>T2(3)</u>	2		
	Air content after extended mixing			
	\leq A ₁ + 5 % and \geq A ₁ – 5 %			
Dangerous substances	No performance determined			

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by: General Manager, ADMU A 4 111 6 ron 3 Blagoja Donchev, Civ. Eng.

Skopje, 16.06.2021







CE MARKING

Annex to DoP No. GAFA001/6

	(F	
	2032	
	ADING AD Skopje,	
	Novoselski pat (ul 1409) br.11	
	1060 Skopje, North Macedonia	
	12	
	GAFA001/6	
	EN 934-3:2009+A1:2012	
	POROMEL U	
	Air-entraining/plasticizing admixture	
	EN 934-3:T2	
Chloride ion content	≤ 0,1% by mass	
Alkali content	≤ 2,0% by mass	
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A.1	
Compressive strength	at equal consistence	
	At 28 days: test mix ≥ 70 % of control mix	
Entrained air	<u>T2(1)</u>	
	Total air content A1 after standard mixing	
	A ₁ = (17 ± 3) % by volume	
	<u>T2(2)</u>	
	Air content after 1 h standing	
	≥ A ₁ – 3 % by volume	
	<u>T2(3)</u>	
	Air content after extended mixing	
	≤ A ₁ + 5 % and ≥ A ₁ – 5 %	
Dangerous substances	No performance determined	

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH) Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

Information and advice on safe handling, storage and disposal of the chemical product are contained in the united safety base oncer (boc). NOTE The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.



