



## DECLARATION OF PERFORMANCE

According to Regulation (EU) No.305/2011  
No. GDFIXXX/3

---

**ADINGSTATIK 2**

---



1. Unique identification code of the product:  
**GDFIXXX**
2. Intended use/uses:  
**According to EN 13813 SR B2.0-AR0.5-IR4**  
**Self-leveling electrically conductive epoxy system with < 10<sup>6</sup>Ω resistance**
3. Manufacturer:  
**ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia**
4. Authorised representative:  
**/**
5. System or systems of AVCP:  
**System 4**
- 6a. Harmonised standard:  
**EN 13813:2002**
- Notified body:  
**/**

DECLARATION OF PERFORMANCE



## 7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification	
Reaction to fire	No performance determined	MKC EN 13813:2006	EN 13813:2002
Dangerous substances	SR		
Capillary absorption and permeability to water	No performance determined		
Water vapour permeability	No performance determined		
Adhesion strength	B2.0		
Impact resistance	IR4		
Abrasion resistance according to BCA	AR0.5		
Sound isolation	No performance determined		
Sound absorption	No performance determined		
Thermal resistance	No performance determined		
Chemical resistance	No performance determined		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.



Signed for and on behalf of the manufacturer by:

General Manager,

Zoran Petrovski, arch.eng.

Skopje, 15.09.2025



# CE MARKING

Annex to DoP No. GDFIXXX/3



ADING AD Skopje,  
Novoselski pat (ul 1409) br.11  
1060 Skopje, North Macedonia  
22

GDFIXXX/3

EN 13813:2002 SR B2.0-AR0.5-IR4

## ADINGSTATIK 2

Self-leveling electrically conductive epoxy system with  $< 10^6 \Omega$  resistance

Reaction to fire	<b>No performance determined</b>
Dangerous substances	<b>SR</b>
Capillary absorption and permeability to water	<b>No performance determined</b>
Water vapour permeability	<b>No performance determined</b>
Adhesion strength	<b>B2.0</b>
Impact resistance	<b>IR4</b>
Abrasion resistance according to BCA	<b>AR0.5</b>
Sound isolation	<b>No performance determined</b>
Sound absorption	<b>No performance determined</b>
Thermal resistance	<b>No performance determined</b>
Chemical resistance	<b>No performance determined</b>

### ECOTOXICITY, HEALTH AND SAFETY INFORMATION (REACH)

Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

#### NOTE

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.

### Anex:

- In accordance with the intended use of the product specified in point 2 of this Declaration of Performance, we as manufacturer declare that the following characteristic is also satisfied:

Essential characteristic	Performance	Harmonised technical specification
Electrical conductivity	$Re < 1 \cdot 10^6 \Omega$	IEC 61340-4-1

Company for production of chemical materials for construction industry, since 1969

Address: Novoselski Pat (str.1409) No.11, 1060 Skopje, R. North Macedonia

Tel.: +389/2 2034 840; Fax: +389/2 2034 850; e-mail: ading@ading.com.mk, www.ading.com.mk

DECLARATION OF PERFORMANCE