



DECLARATION OF PERFORMANCE

According to Regulation (EU) No.305/2011
No. GJCB001/5

HIDROGLET P1

CE

DECLARATION OF PERFORMANCE

1. Unique identification code of the product:

GJCB001

2. Intended use/uses:

According to EN 13813 CT C30 F7 A9

**Cement based, self-levelling compound for levelling of floor surfaces
(for thickness up to 20 mm).**

3. Manufacturer:

ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. North Macedonia

4. Authorized representative:

/

5. System or systems of AVCP:

System 4

- 6a. Harmonized standard:

EN 13813:2002

Notified body:

/



7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification	
Reaction to fire:	Class A1	MKC EN 13813:2006	EN 13813:2002
Release of corrosive substances:	CT		
Water permeability:	NPD		
Water vapour permeability:	NPD		
Compressive strength:	C30		
Flexural strength:	F7		
Wear resistance - BÖHME:	A9		
Sound insulation:	NPD		
Sound absorption:	NPD		
Thermal resistance:	NPD		
Chemical resistance:	NPD		

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with the Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:
General Manager,

Zoran Petrovski

Skopje, 07.05.2025



CE MARKING

Annex to DoP No. GJCB001/5

DECLARATION OF PERFORMANCE

CE	
ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, North Macedonia 19 GJCB001/5 EN 13813 CT C30 F7 A9 HIDROGLET P1 Cement based, self-leveling compound for leveling of floor surfaces (for thickness up to 20mm)	
Reaction to fire:	Class A1
Release of corrosive substances:	CT
Water permeability:	NPD
Water vapour permeability:	NPD
Compressive strength:	C30
Flexural strength:	F7
Wear resistance - BÖHME:	A9
Sound insulation:	NPD
Sound absorption:	NPD
Thermal resistance:	NPD
Chemical resistance:	NPD

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

NOTE

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.