

DECLARATION OF PERFORMANCE

According Annex III of the Regulation (EU) No.305/2011

No. GKDA001/1

	D	DEKOSIL		
RMAN	1.	Unique identification cc GKDA001 EN 1504-2:ZA.1f, coa concrete		
	2.	Intended use/uses: This product is intend - Physical resistand		
	3.	Manufacturer: ADING AD Skopje, No		
0	4.	Authorised representat		
	5.	System or systems of A System 2+		
RA	6a.	Harmonised standard: EN 1504-2:2004		
ECLA		Notified body: Building Research Ins notified body for cons Commission register		

CE

ode of the product-type:

ating for surface protection and improved physical resistance of

- ded for:
- ce (Method 5.1 according to EN 1504-9)
- ovoselski pat (ul. 1409) br. 11, 1060 Skopje, R. Macedonia
- ive:
- AVCP:

stitute (N I S I) Ltd, 1618 Sofia, Bulgaria, №86 Nikola Petkov Blvd struction products, with identification number NB 2032 in European performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+ and issued: Certificate of conformity of the factory production control 2032-CPR-11.5C







7. Declared performances:

	ļ	
1		
		l I
		0
		1
		6
		Ċ.
1		1
ł		
		l.
		1
1	4	

Essential Characteristics	Performance		onised nical ication
Adhesion strength by pull-off test	≥ 2,0 N/mm ²	9	
Capillary absorption and permeability to water	w < 0,1 kg/m²·h⁰ ^{,5}	1504-2:2006	1504-2:2004
Abrasion resistance	< 3000 mg	504	4-2:
Impact resistance	Class II ≥ 10 Nm After loading, no cracks, no delamination	L N	EN 150
Reaction to fire	Class F	MKC	_
Dangerous substances	No performance determined	1	

8. Appropriate technical documentation and/or specific technical documentation:

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Skopje, 19.06.2018



Signed for and on behalf of the manufacturer by:

General Manager,

Blagoj Donchev, Civ.Eng.

MOHO H

0

Matt





CE MARKING

Annex to DoP No.GKDH00X/1

CE					
	2032				
ADING AD Skopje,					
Novoselski pat (ul 1409) br.11					
1060 Skopje, Macedonia					
17					
2032–CPR–11.5C					
EN 1504-2:2004					
	DEKOSIL				
Coating for surface prot	tection and improved physical resistance of concrete				
Adhesion strength by pull-off test	≥ 2,0 N/mm²				
Capillary absorption and permeability to water	w < 0,1 kg/m²·h ^{0,5}				
Abrasion resistance	< 3000 mg				
Impact resistance	Class II ≥ 10 Nm				
•	After loading, no cracks, no delamination				
Reaction to fire	Class F				
Dangerous substances	No performance determined				

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH) Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS). NOTE The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.



