

DECLARATION OF PERFORMANCE

According Annex III of the Regulation (EU) No.305/2011

No. GKFF00X/1

DECLARATION OF PERFORMANCE

HIDROFAS-Z

CE

1. Unique identification code of the product-type:
GKFF00X
EN 15824:ZA.1, decorative external render with coarse-grained texture based on organic binder
2. Intended use/uses:
This product is used in residential and commercial buildings for decorative and protective finish of exterior surfaces
3. Manufacturer:
ADING AD Skopje, Novoselski pat (ul. 1409) br. 11, 1060 Skopje, R. Macedonia
4. Authorised representative:
/
5. System or systems of AVCP:
System 4
- 6a. Harmonised standard:
EN 15824:2009

Notified body:

/

7. Declared performances:

Essential Characteristics	Performance	Harmonised technical specification	
		MKC EN 15824:2010	EN 15824:2009
Water vapour permeability	V₂ medium	MKC EN 15824:2010	EN 15824:2009
Water absorption	W₂ medium		
Adhesion	≥ 0.3 MPa		
Durability (freeze-thaw resistance)	Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m²·h^{0.5})		
Thermal conductivity	No performance determined		
Reaction to fire	Class F		

8. Appropriate technical documentation and/or specific technical documentation:

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified in point 3.

DECLARATION OF PERFORMANCE

Signed for and on behalf of the manufacturer by:
General manager,




[Handwritten signature]
Blagoj Donchev, Civ.Eng.

Skopje, 31.10.2016

CE MARKING

Annex to DoP No.GKFF00X/1

DECLARATION OF PERFORMANCE

 2032	
ADING AD Skopje, Novoselski pat (ul 1409) br.11 1060 Skopje, Macedonia 15 EN 15824:2009 HIDROFAS-Z Decorative external render with coarse-grained texture	
Water vapour permeability	V₂ medium
Water absorption	W₂ medium
Adhesion	≥ 0.3 MPa
Durability (freeze-thaw resistance)	Permeability rate as specified in EN 1062-3 ≤ 0.5 kg/(m²·h^{0.5})
Thermal conductivity	No performance determined
Reaction to fire	Class F

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

Information and advice on safe handling, storage and disposal of the chemical product are contained in the official Safety Data Sheet (SDS).

NOTE

The information and recommendations relating to proper storage, handling and end-use of Ading's products are given based on our best knowledge and experience. The differences in substrates and ambient conditions are not covered with this information. The user shall refer to the official technical data sheet. ADING reserves the right to change its products. The proprietary rights of third parties must be observed. All orders are accepted under current terms of sale and delivery.